ELSEVIER

International Journal of Mass Spectrometry 219 (2002) 739–740

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 219

Addario, V., 101
Afonso, C., 559
Ahn, T.K., 11
Albert Schultz, J., 253
Andersen, J.U., 659
Aribi, H.E., 89
Aubagnac, J.-L., 391
Aubriet, F., 717
Audier, H.E., 537

Baer, T., 381
Barbieux-Flammang, M., 643
Bashir, S., 697
Bogdanov, B., 593
Boissel, P., 457
Bolbach, G., 515
Bondarenko, P.V., 671
Bouchoux, G., 625, 643
Budnik, B.A., 283
Burkitt, W.I., 697

Campos, J., 351
Carlesso, V., 559
Caroff, M., 549
Cassady, C.J., 115
Chamot-Rooke, J., 625
Chu, I.K., 101
Claramunt, R.M., 391

da Silveira, E.F., 343
Daniel, J.M., 269
Danielle, L., 615
De Pauw, E., 151
de Vries, M.S., 133
Debellé, F., 703
Decouzon, M., 445
Denisov, E., 189
Derrick, P.J., 697
Dorsselaer, A.V., 681
Douglas, D.J., 161

Elguero, J., 391
Engel, B.J., 171
Enjalbal, C., 391

Farenzena, L.S., 343
Farwig, Z.N., 671
Fedosov, E.V., 325
Felitsyn, N., 39
Fenn, J.B., 1
Ferro, M., 703
Flammang, R., 643
Fournier, F., 559
Fournier, I., 515
Friess, S.D., 269
Fuhrer, K., 253
Futrell, J.H., 189

Gabelica, V., 151
Gal, J.-F., 445
Gavin, J., 351
Gerbaux, P., 643
Giannakopulos, A.E., 697
Gillig, K.J., 253
Gong, Q., 305
Gonin, M., 253
Grigorean, G., 79
Groeneveld, K.O., 343
Gronert, S., 79
Grützmacher, H.-F., 409
Guo, Y., 101

Haehnel, W., 283
Haiech, J., 681
Hannis, J.C., 139
Hansen, K., 363
Hargittai, B., 203
Hartmann, R., 269
Haselmann, K.F., 283
Hayes McDonald, W., 245
Herlert, A., 363
Herráiz Lablanca, M.D., 363
Hill, C.H., 23
Hill, H.H., 23
Hiroi, Y., 475
Hoffmann, E., 373
Hopkinson, A.C., 89, 101
Hörth, P., 283
Hruby, V.J., 203
Huang, Y., 233

Hudson, C.E., 295
Hvelplund, P., 659

Iavarone, A.T., 63
Ichiye, T., 23
Ivanov, V.W., 325

Jalowy, T., 343
Jaworski, R., 373
Jeong, G., 11
Jiang, H., 305
Jørgensen, T.J.D., 659

Karibian, D., 549
Karnav, T.B., 325
Kebarle, P., 39
Kim, N.J., 11
Kim, S.K., 11
Kim, Y.S., 11
Kong, J., 525
Krier, G., 717
Krisnan, H.B., 703
Kuck, D., 497

Laprévote, O., 403
Laskin, J., 189
Leblanc, D., 525, 537
Lebrilla, C.B., 79
Leize, E., 681
Lemaire, D., 403
Li, Y., 381
Ling, Y., 101

Ma, R., 305
MacAleese, L., 457
Macfarlane, R.D., 671
Maria, P.-C., 445
Martinez, J., 391
Marx, G., 363
Maître, P., 457
Matz, L.M., 23
Maunit, B., 717
Mayer, P.S., 525
McAdoo, D.J., 295
McLuckey, S.A., 171

PII S1387-3806(02)00859-X

McMahon, T.B., 593
McNeal, C.J., 671
Menegon, J.J., 485
Michael Siu, K.W., 89, 101
Mitchell Wells, J., 171
Mitchison, T.J., 245
Miyamoto, D.T., 245
Mó, O., 445
Moradian, A., 161
Morgon, N.H., 485
Mormann, M., 497
Morton, T.H., 525
Muddiman, D.C., 139
Muller, J.-F., 717

Nakajima, S., 475
Natasha Grewal, R. , 89
Nedev, H., 537
Neugebauer, R., 343
Nibbering, N.M.M., 475
Nielsen, M.L., 283
Nir, E., 133
Nixdorf, A., 409

Ohanessian, G., 577
Ohi, R., 245
Olsen, J.V., 283
Ortiz, M., 351

Paizs, B., 203
Pallante, G.A., 115
Pan, P., 171
Perry, M.B., 549
Peschke, M., 39
Philippov, I.V., 325
Ponciano, C.R., 343
Promé, D., 703
Promé, J.C., 703

Ramström, H., 681
Reid Asbury, G., 23
Reid, G.E., 171
Ren, H., 305
Riveros, J.M., 485
Rodríguez-Santiago, L., 429
Rodriquez, C.F., 89, 101
Roepstorff, P., 659
Ruggerio, G., 101
Ruotolo, B.T., 253
Russell, D.H., 253

Sanchez, P., 391
Sanglier, S., 681
Sanz, D., 391
Scalf, M., 161
Schlag, E.W., 73
Schröder, D., 729
Schwarz, H., 729
Schweikhard, L., 363
Serani, L., 403
Sheretov, E.P., 315, 325
Sheu, S.-Y., 73
Simon, A., 457
Smith, J.C., 89
Smith, L.M., 161
Somogyi, A., 203
Stéphane, B., 615
Stephanowitz, H., 373
Stone, E.G., 253
Suhai, S., 203

Tabb, D.L., 233
Tabet, J.C., 515, 559
Tajima, S., 475
Therisod, H., 549
Tortajada, J., 429

Ubukata, M., 475

Vernex-Loset, L., 717
Vogel, M., 363

Watanabe, D., 475
Weiske, T., 729
Westphall, M.S., 161
Williams, E.R., 63
Wu, C., 23, 305
Wysocki, V.H., 233

Xavier, L.A., 485

Yáñez, M., 445
Yang, H., 305
Yates III, J.R., 233, 245

Zenobi, R., 269
Zhan, D., 1
Zubarev, R.A., 283

ELSEVIER

International Journal of Mass Spectrometry 219 (2002) 741–748

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 219

Ab initio
1,3-H-shift pathways in $C_2H_4O^{\bullet+}$ and C_2H_4O, 295
Ab initio calculation
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Ab initio and MS/MS studies on protonated peptides containing basic and acidic amino acid residues. I. Solvated proton vs. salt-bridged structures and the cleavage of the terminal amide bond of protonated RD-NH_2, 203
Interaction of MALDI matrix molecules with Na^+ in the gas phase, 577
Structures, thermochemistry, and infrared spectra of chloride ion–fluorinated acetone complexes and neutral fluorinated acetones in the gas phase: experiment and theory, 593
Ablation process
Irradiation effects in MALDI and surface modifications. Part I: Sinapinic acid monocrystals, 515
N-Acetylated amino acids
Proton affinities of methyl esters of *N*-acetylated amino acids, 101
Adenine
Hydration of DNA base cations in the gas phase, 11
Fragmentation of laser-desorbed 9-substituted adenines, 133
Alkene radical cation
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409
Alkyl trifluoroacetoacetate
Unimolecular gas-phase reactions of methyl and ethyl trifluoroacetoacetates upon electron ionization, 475
Alkylbenzenium ions
Loss of methane and ethene from long-lived gaseous xylenium ions (protonated xylene) after "composite" scrambling, 497
Amino acid residue
Mass spectrometric noncovalent probing of amino acids in peptides and proteins, 269
ApoA-I
MALDI- and ESI-MS of the HDL apolipoproteins; new isoforms of apoA-I, II, 671
ApoA-II
MALDI- and ESI-MS of the HDL apolipoproteins; new isoforms of apoA-I, II, 671
Arginine
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Asp-Xxx cleavage
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Azirinyl cations
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643
Azurine
Protein charge transport in gas phase, 73

Benzene derivatives
Gas-phase lithium-cation basicities of some benzene derivatives. An experimental and theoretical study, 445
Bifunctional
Protein charge transport in gas phase, 73
Bradykinin
Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides, 115
Brass
Collection and separation of particles by size from laser ablated material, 373

Calculations
Silicon vs. carbon containing ions: 1,3-proton transfers within the $(CH_3)(X)Si(OR)(^+OHR')$ units, 537
Carbene ions
Electrophilic and radical reactivity of ionized aminohydroxycarbene toward alkenes, 625
Cascade impactor
Collection and separation of particles by size from laser ablated material, 373
Catalysis
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409
Chito-oligomers
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
C_2H_4O
1,3-H-shift pathways in $C_2H_4O^{\bullet+}$ and C_2H_4O, 295

PII S1387-3806(02)00860-6

Chromium
The resonance laser ablation Fourier-transform ion cyclotron resonance mass spectrometry (RLA-FTICRMS) a new coupling for material science, 717
CID
Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides, 115
Cleavage of amide bond
Ab initio and MS/MS studies on protonated peptides containing basic and acidic amino acid residues. I. Solvated proton vs. salt-bridged structures and the cleavage of the terminal amide bond of protonated RD-NH_2, 203
Cluster ion
Hydration of DNA base cations in the gas phase, 11
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
CO
Cross-sections for CO^+ and CO^{2+} production by electron impact on CO molecule, 351
Collision cross sections
Collision cross sections of gas phase DNA ions, 161
Collisional activation
Charge state dependent fragmentation of gaseous protein ions in a quadrupole ion trap: bovine ferri-, ferro-, and apo-cytochrome *c*, 171
Collision efficiency in an electrospray source interfaced with a magnetic mass spectrometer, 403
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643
Collisionally activated decomposition
Cyclization and rearrangement of monofluoroallylic cations from halonium metathesis in the gas phase, 525
Collision-induced dissociation
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Collision-induced dissociations of trimethylsilylated lysergic acid diethylamide (LSD) in ion trap multiple stage mass spectrometry, 615
Computational Si chemistry
Photodetachment of $FSi(OMe)_4^-$ and $FGe(OMe)_4^-$ anions: an experimental and theoretical study of gas-phase hypervalent Si and Ge species, 485
Condensation reaction
Electrophilic and radical reactivity of ionized aminohydroxycarbene toward alkenes, 625
Copper
Dissociation behavior of $Cu(urea)^+$ complexes generated by electrospray ionization, 729
Coulomb explosion
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Cycloaddition reaction
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643
Cyclodextrin
Enantioselective gas-phase ion–molecule reactions in a quadrupole ion trap, 79
Cyclosporin A
Gas phase hydration of electrospray ions from small peptides, 1
Cytochrome *c* ions
Charge state dependent fragmentation of gaseous protein ions in a quadrupole ion trap: bovine ferri-, ferro-, and apo-cytochrome *c*, 171

Density functional theory calculations
Gas-phase lithium-cation basicities of some benzene derivatives. An experimental and theoretical study, 445
Desolvation
Origin and number of charges observed on multiply-protonated native proteins produced by ESI, 39
Destruction cross sections
Tandem mass spectrometry of specific vs. nonspecific noncovalent complexes of vancomycin antibiotics and peptide ligands, 659
DFT
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Dianion
Recent gold cluster studies in a Penning trap, 363
Dissociation energy
Recent gold cluster studies in a Penning trap, 363
DNA base
Hydration of DNA base cations in the gas phase, 11
Fragmentation of laser-desorbed 9-substituted adenines, 133
DNA ions
Collision cross sections of gas phase DNA ions, 161
Double helix conformation
Collision-induced dissociation of 16-mer DNA duplexes with various sequences: evidence for conservation of the double helix conformation in the gas phase, 151
Double ionization
Cross-sections for CO^+ and CO^{2+} production by electron impact on CO molecule, 351
Duplex DNA
Collision-induced dissociation of 16-mer DNA duplexes with various sequences: evidence for conservation of the double helix conformation in the gas phase, 151

Electron impact
Cross-sections for CO^+ and CO^{2+} production by electron impact on CO molecule, 351
Electronic excited states
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
Electrospray
Charge state dependent fragmentation of gaseous protein ions in a quadrupole ion trap: bovine ferri-, ferro-, and apo-cytochrome *c*, 171
Collision efficiency in an electrospray source interfaced with a magnetic mass spectrometer, 403

Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
Electrospray ion hydration
Gas phase hydration of electrospray ions from small peptides, 1
Electrospray ionization
Charge location on gas phase peptides, 23
Supercharging in electrospray ionization: effects on signal and charge, 63
Tailoring the gas-phase dissociation and determining the relative energy of activation for dissociation of 7-deaza purine modified oligonucleotides containing a repeating motif, 139
Tandem mass spectrometry of specific vs. nonspecific noncovalent complexes of vancomycin antibiotics and peptide ligands, 659
Dissociation behavior of $Cu(urea)^+$ complexes generated by electrospray ionization, 729
Electrospray ionization mass spectrometry
Electrospray ionization mass spectrometry analysis revealed a ~310 kDa noncovalent hexamer of HPr kinase/phosphatase from *Bacillus subtilis*, 681
Electrospray ions
Gas phase hydration of electrospray ions from small peptides, 1
Enantioselectivity
Enantioselective gas-phase ion–molecule reactions in a quadrupole ion trap, 79
Endotoxin
Structural analysis of *Yersinia pseudotuberculosis* ATCC 29833 lipid A, 549
Enzymatic digestion
Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry, 253
ESI
Origin and number of charges observed on multiply-protonated native proteins produced by ESI, 39
MALDI- and ESI-MS of the HDL apolipoproteins; new isoforms of apoA-I, II, 671
ETV ICP-MS
Collection and separation of particles by size from laser ablated material, 373

FAB
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Fast atom bombardment
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
Femtosecond laser
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Field ionization
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Fluoride affinity
Photodetachment of $FSi(OMe)_4^-$ and $FGe(OMe)_4^-$ anions: an experimental and theoretical study of gas-phase hypervalent Si and Ge species, 485
Formamide
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Fragment ions
Can relative cleavage frequencies in peptides provide additional sequence information?, 283
Fragmentation
Fragmentation of laser-desorbed 9-substituted adenines, 133
Fragmentation energetics
Fragmentation energetics of small peptides from multiple-collision activation and surface-induced dissociation in FT-ICR MS, 189
Fragmentation pattern
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
FT-ICR
Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides, 115
Gas-phase lithium-cation basicities of some benzene derivatives. An experimental and theoretical study, 445
Silicon vs. carbon containing ions: 1,3-proton transfers within the $(CH_3)(X)Si(OR)(^+OHR')$ units, 537
FT-ICR spectrometry
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409

G2 calculations
Electrophilic and radical reactivity of ionized aminohydroxycarbene toward alkenes, 625
Gas phase
Collision cross sections of gas phase DNA ions, 161
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Interaction of MALDI matrix molecules with Na^+ in the gas phase, 577
Gas phase reaction
Multiple substitution of protons by sodium ions in sodiated oligoglycines, 89
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
Gas target
XY-TOF technique for large ion source mass spectrometers, 343

Gas-phase dissociation
Tailoring the gas-phase dissociation and determining the relative energy of activation for dissociation of 7-deaza purine modified oligonucleotides containing a repeating motif, 139
Genetic analysis
Tailoring the gas-phase dissociation and determining the relative energy of activation for dissociation of 7-deaza purine modified oligonucleotides containing a repeating motif, 139
Glu-Xxx cleavage
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Gramicidin S
Gas phase hydration of electrospray ions from small peptides, 1

Heterocyclic chemistry
Utilization of charge and mass labeling for the structural identification of heterocyclic quaternary salts by mass spectrometry, 391
High pressure mass spectrometry
Structures, thermochemistry, and infrared spectra of chloride ion–fluorinated acetone complexes and neutral fluorinated acetones in the gas phase: experiment and theory, 593
High-energy collision-induced dissociation
Tandem mass spectrometry of specific vs. nonspecific noncovalent complexes of vancomycin antibiotics and peptide ligands, 659
Hill equation
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part I. General theory, 315
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part II. The results of trajectory analysis, 325
Histidine
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
HPLC
Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT, 245
HPr kinase/phosphatase
Electrospray ionization mass spectrometry analysis revealed a ~310 kDa noncovalent hexamer of HPr kinase/phosphatase from *Bacillus subtilis*, 681
1,3-H-shifts
1,3-H-shift pathways in $C_2H_4O^{\bullet+}$ and C_2H_4O, 295
Hydration
Hydration of DNA base cations in the gas phase, 11
Hydration shell
Hydration of DNA base cations in the gas phase, 11
Hydrogen atom and proton transfers
Electrophilic and radical reactivity of ionized aminohydroxycarbene toward alkenes, 625
Hypervalent anions of Si and Ge
Photodetachment of $FSi(OMe)_4^-$ and $FGe(OMe)_4^-$ anions: an experimental and theoretical study of gas-phase hypervalent Si and Ge species, 485

Ion cyclotron resonance
Recent gold cluster studies in a Penning trap, 363
Ion mobility spectrometry
Charge location on gas phase peptides, 23
Ion trap
Enantioselective gas-phase ion–molecule reactions in a quadrupole ion trap, 79
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part I. General theory, 315
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part II. The results of trajectory analysis, 325
Ion trap mass spectrometry
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part I. General theory, 315
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part II. The results of trajectory analysis, 325
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
Collision-induced dissociations of trimethylsilylated lysergic acid diethylamide (LSD) in ion trap multiple stage mass spectrometry, 615
Ion/ion reactions
Charge state dependent fragmentation of gaseous protein ions in a quadrupole ion trap: bovine ferri-, ferro-, and apo-cytochrome *c*, 171
Ion/molecule reaction
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409
Ionization
The resonance laser ablation Fourier-transform ion cyclotron resonance mass spectrometry (RLA-FTICRMS) a new coupling for material science, 717
Ionization processes
Irradiation effects in MALDI and surface modifications. Part I: Sinapinic acid monocrystals, 515
Ion-molecule reactions
Cyclization and rearrangement of monofluoroallylic cations from halonium metathesis in the gas phase, 525
Silicon vs. carbon containing ions: 1,3-proton transfers within the $(CH_3)(X)Si(OR)(^+OHR')$ units, 537
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643
IR spectra of chloride ion–fluorinated acetone complexes
Structures, thermochemistry, and infrared spectra of chloride ion–fluorinated acetone complexes and neutral fluorinated acetones in the gas phase: experiment and theory, 593
Iron(II)
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
Irradiation effects
Irradiation effects in MALDI and surface modifications. Part I: Sinapinic acid monocrystals, 515
Isobaric ions
Unimolecular gas-phase reactions of methyl and ethyl trifluoroacetoacetates upon electron ionization, 475

Isomerization
A catalyzed rearrangement of gaseous 1,1-dichloroethene radical cations, 409
Cyclization and rearrangement of monofluoroallylic cations from halonium metathesis in the gas phase, 525

Jet-cooling
Fragmentation of laser-desorbed 9-substituted adenines, 133

Kinetic method
Dissociation behavior of $Cu(urea)^+$ complexes generated by electrospray ionization, 729

Laser ablation
Collection and separation of particles by size from laser ablated material, 373
Laser desorption
Fragmentation of laser-desorbed 9-substituted adenines, 133
Li^+ basicities
Gas-phase lithium-cation basicities of some benzene derivatives. An experimental and theoretical study, 445
Lipid A
Structural analysis of *Yersinia pseudotuberculosis* ATCC 29833 lipid A, 549
Lipo-oligosaccharides
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
LSD
Collision-induced dissociations of trimethylsilylated lysergic acid diethylamide (LSD) in ion trap multiple stage mass spectrometry, 615
Lysine
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233

MALDI
Mass spectrometric noncovalent probing of amino acids in peptides and proteins, 269
Irradiation effects in MALDI and surface modifications. Part I: Sinapinic acid monocrystals, 515
Structural analysis of *Yersinia pseudotuberculosis* ATCC 29833 lipid A, 549
MALDI- and ESI-MS of the HDL apolipoproteins; new isoforms of apoA-I, II, 671
Iodine-assisted matrix-assisted laser desorption/ionisation, 697
MALDI ion suppression
Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry, 253
MALDI matrix
Interaction of MALDI matrix molecules with Na^+ in the gas phase, 577
Mass spectrometry
Charge location on gas phase peptides, 23
Supercharging in electrospray ionization: effects on signal and charge, 63
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part I. General theory, 315
Some properties of charged particle trajectories in quadrupole mass spectrometers. Part II. The results of trajectory analysis, 325
XY-TOF technique for large ion source mass spectrometers, 343
Utilization of charge and mass labeling for the structural identification of heterocyclic quaternary salts by mass spectrometry, 391
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
The resonance laser ablation Fourier-transform ion cyclotron resonance mass spectrometry (RLA-FTICRMS) a new coupling for material science, 717
Dissociation behavior of $Cu(urea)^+$ complexes generated by electrospray ionization, 729
Mass spectrum
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Mass-mobility correlations
Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry, 253
Matrix
Iodine-assisted matrix-assisted laser desorption/ionisation, 697
Mechanisms
Irradiation effects in MALDI and surface modifications. Part I: Sinapinic acid monocrystals, 515
Metal cluster
Recent gold cluster studies in a Penning trap, 363
Metastable ion
Hydration of DNA base cations in the gas phase, 11
Loss of methane and ethene from long-lived gaseous xylenium ions (protonated xylene) after "composite" scrambling, 497
Methane activation
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
Methanol
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Methyl esters
Proton affinities of methyl esters of *N*-acetylated amino acids, 101
MIKE spectrometry
Unimolecular gas-phase reactions of methyl and ethyl trifluoroacetoacetates upon electron ionization, 475
Monosaccharides
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
MS/MS
Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT, 245

MS/MS spectral database
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
MudPIT
Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT, 245
Multiple-collision activation
Fragmentation energetics of small peptides from multiple-collision activation and surface-induced dissociation in FT-ICR MS, 189
Multiply charged ions
Collision-induced dissociation of 16-mer DNA duplexes with various sequences: evidence for conservation of the double helix conformation in the gas phase, 151
Myoglobin
Protein charge transport in gas phase, 73

Native proteins
Origin and number of charges observed on multiply-protonated native proteins produced by ESI, 39
m-NBA
Supercharging in electrospray ionization: effects on signal and charge, 63
New isoforms
MALDI- and ESI-MS of the HDL apolipoproteins; new isoforms of apoA-I, II, 671
Nickle(I) complexes
Experimental and theoretical studies on the gas phase reactivity of formamide–Ni^+ complexes generated by FAB and electrospray ionization, 429
Nitrosoazirine
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643
Nod factors
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
Noncovalent complex
Collision-induced dissociation of 16-mer DNA duplexes with various sequences: evidence for conservation of the double helix conformation in the gas phase, 151
Tandem mass spectrometry of specific vs. nonspecific noncovalent complexes of vancomycin antibiotics and peptide ligands, 659
Electrospray ionization mass spectrometry analysis revealed a ~310 kDa noncovalent hexamer of HPr kinase/phosphatase from *Bacillus subtilis*, 681
Noncovalent interaction
Mass spectrometric noncovalent probing of amino acids in peptides and proteins, 269

Oligoglycines
Multiple substitution of protons by sodium ions in sodiated oligoglycines, 89
Orbital symmetry
1,3-H-shift pathways in $C_2H_4O^{\bullet+}$ and C_2H_4O, 295
Oxadiazole
Ion–molecule reactions between ionized nitrile oxides and neutral nitrile, 643

PDMS
Structural analysis of *Yersinia pseudotuberculosis* ATCC 29833 lipid A, 549
Penning trap
Recent gold cluster studies in a Penning trap, 363
Peptide fragmentation
Ab initio and MS/MS studies on protonated peptides containing basic and acidic amino acid residues. I. Solvated proton vs. salt-bridged structures and the cleavage of the terminal amide bond of protonated RD-NH_2, 203
Peptide ions
Gas phase hydration of electrospray ions from small peptides, 1
Peptide mass mapping
Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry, 253
Peptide sequencing
Can relative cleavage frequencies in peptides provide additional sequence information?, 283
Photo dissociation
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
Photodetachment
Photodetachment of $FSi(OMe)_4^-$ and $FGe(OMe)_4^-$ anions: an experimental and theoretical study of gas-phase hypervalent Si and Ge species, 485
Photoelectron photoion coincidence
Threshold photoelectron spectroscopy with velocity focusing: an ideal match for coincidence studies, 381
Photoelectron spectroscopy
Threshold photoelectron spectroscopy with velocity focusing: an ideal match for coincidence studies, 381
Photoelectron spectrum
Field ionization and Coulomb explosion of methanol in an intense field of a femtosecond laser beam, 305
Photoionization
Threshold photoelectron spectroscopy with velocity focusing: an ideal match for coincidence studies, 381
Position-sensitive detection
XY-TOF technique for large ion source mass spectrometers, 343
Protein digest
Analysis of protein mixtures by matrix-assisted laser desorption ionization-ion mobility-orthogonal-time-of-flight mass spectrometry, 253
Protein identification
Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT, 245
Protein ions
Collision cross sections of gas phase DNA ions, 161

Protein structure
Mass spectrometric noncovalent probing of amino acids in peptides and proteins, 269
Protein/protein interactions
Electrospray ionization mass spectrometry analysis revealed a ~310 kDa noncovalent hexamer of HPr kinase/phosphatase from *Bacillus subtilis*, 681
Proteomics
Iodine-assisted matrix-assisted laser desorption/ionisation, 697
Proton affinities
Proton affinities of methyl esters of *N*-acetylated amino acids, 101
Proton transfer
Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides, 115
Ab initio and MS/MS studies on protonated peptides containing basic and acidic amino acid residues. I. Solvated proton vs. salt-bridged structures and the cleavage of the terminal amide bond of protonated RD-NH_2, 203
1,3-Proton transfer
Silicon vs. carbon containing ions: 1,3-proton transfers within the $(CH_3)(X)Si(OR)(^+OHR')$ units, 537
Protonated carbon suboxide
Unimolecular gas-phase reactions of methyl and ethyl trifluoroacetoacetates upon electron ionization, 475
Protonated methylbenzenes
Loss of methane and ethene from long-lived gaseous xylenium ions (protonated xylene) after "composite" scrambling, 497
Protonated peptides
Fragmentation energetics of small peptides from multiple-collision activation and surface-induced dissociation in FT-ICR MS, 189

Quadrupole ion trap
Charge state dependent fragmentation of gaseous protein ions in a quadrupole ion trap: bovine ferri-, ferro-, and apo-cytochrome *c*, 171

Resonance delocalization
Cyclization and rearrangement of monofluoroallylic cations from halonium metathesis in the gas phase, 525
Resonant laser ablation
The resonance laser ablation Fourier-transform ion cyclotron resonance mass spectrometry (RLA-FTICRMS) a new coupling for material science, 717
Rhizobia
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
R2PI spectrum
Fragmentation of laser-desorbed 9-substituted adenines, 133

Scrambling processes
Loss of methane and ethene from long-lived gaseous xylenium ions (protonated xylene) after "composite" scrambling, 497
Silicon contain ions
Silicon vs. carbon containing ions: 1,3-proton transfers within the $(CH_3)(X)Si(OR)(^+OHR')$ units, 537
Skeletal rearrangements
Loss of methane and ethene from long-lived gaseous xylenium ions (protonated xylene) after "composite" scrambling, 497
Sodium affinity
Interaction of MALDI matrix molecules with Na^+ in the gas phase, 577
Sodium substitutions
Multiple substitution of protons by sodium ions in sodiated oligoglycines, 89
SORI
Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides, 115
SORI-CID
Fragmentation energetics of small peptides from multiple-collision activation and surface-induced dissociation in FT-ICR MS, 189
Statistical analysis
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Stereochemical effects
Stereochemical effects from doubly-charged iron clusters for the structural elucidation of diastereomeric monosaccharides using ESI/IT-MS, 559
Supercharging
Supercharging in electrospray ionization: effects on signal and charge, 63
Surface-induced dissociation
Fragmentation energetics of small peptides from multiple-collision activation and surface-induced dissociation in FT-ICR MS, 189

Tandem mass spectra
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Tandem mass spectrometry
Ab initio and MS/MS studies on protonated peptides containing basic and acidic amino acid residues. I. Solvated proton vs. salt-bridged structures and the cleavage of the terminal amide bond of protonated RD-NH_2, 203
Comparison of three directly coupled HPLC MS/MS strategies for identification of proteins from complex mixtures: single-dimension LC-MS/MS, 2-phase MudPIT, and 3-phase MudPIT, 245
Can relative cleavage frequencies in peptides provide additional sequence information?, 283
The pivotal role of tandem mass spectrometry in structural determinations of Nod factors produced by Rhizobia. Nod factors produced by wild-type strains of *Mesorhizobium huakii* and *Rhizobium* sp. *mus10*, 703
Tautomer
Unimolecular gas-phase reactions of methyl and ethyl trifluoroacetoacetates upon electron ionization, 475

Thermochemistry of chloride ion–fluorinated acetone complexes
Structures, thermochemistry, and infrared spectra of chloride ion–fluorinated acetone complexes and neutral fluorinated acetones in the gas phase: experiment and theory, 593
Thymine
Hydration of DNA base cations in the gas phase, 11
Time-of-flight spectrometry
Cross-sections for CO^+ and CO^{2+} production by electron impact on CO molecule, 351
TOF
XY-TOF technique for large ion source mass spectrometers, 343
Trace analysis
The resonance laser ablation Fourier-transform ion cyclotron resonance mass spectrometry (RLA-FTICRMS) a new coupling for material science, 717
Transition metal ion
Towards the characterization of the mechanism of the sequential activation of four methane molecules by Ta^+, 457
Tryptic peptides
The influence of histidine on cleavage C-terminal to acidic residues in doubly protonated tryptic peptides, 233
Urea
Dissociation behavior of $Cu(urea)^+$ complexes generated by electrospray ionization, 729
Vancomycin
Tandem mass spectrometry of specific vs. nonspecific noncovalent complexes of vancomycin antibiotics and peptide ligands, 659
Velocity focusing
Threshold photoelectron spectroscopy with velocity focusing: an ideal match for coincidence studies, 381
Woodward–Hoffmann
1,3-H-shift pathways in $C_2H_4O^{\bullet+}$ and C_2H_4O, 295
XY-TOF
XY-TOF technique for large ion source mass spectrometers, 343
Y. pseudotuberculosis
Structural analysis of *Yersinia pseudotuberculosis* ATCC 29833 lipid A, 549